

No.: CE/2014/64509

Date: 2014/07/01

Page: 1 of 4

SUPER SHENG ENTERPRISE CO., LTD.

NO. 6, LANE 151, MINSHENG ST., SANHSIA DIST., NEW TAIPEI CITY, TAIWAN 23741

### The following sample(s) was/were submitted and identified by/on behalf of the applicant as :

Sample Submitted By

: SUPER SHENG ENTERPRISE CO., LTD.

Sample Description

: OIL DAMPER

Style/Item No.

: BE047173-C920M6-680#

Buyer/Order No.

: HT PRECISION TECHOLOGIES INC.

Sample Receiving Date

: 2014/06/24

**Testing Period** 

: 2014/06/24 TO 2014/07/01

**Test Requested** 

: As specified by client, to test Cadmium, Lead, Mercury, Cr(VI) contents in the

submitted sample.

**Test Method** 

: Please refer to next pages.

Test Result(s)

: Please refer to next page(s).

Troy Chang Manager -Signed for and on behalf SGS TAIWAN LTD. Chemical Laboratory - Taipei



No.: CE/2014/64509

Date: 2014/07/01

Page: 2 of 4

SUPER SHENG ENTERPRISE CO., LTD.

NO. 6, LANE 151, MINSHENG ST., SANHSIA DIST., NEW TAIPEI CITY, TAIWAN 23741

### Test Result(s)

PART NAME No.1

: MIXED ALL PARTS

Test Item(s)	Unit	Method	MDL	Result No.1
Lead (Pb)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	672
Mercury (Hg)	mg/kg	With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n.d.
Hexavalent Chromium Cr(VI)	mg/kg	With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.

#### Note:

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected
- 3. MDL = Method Detection Limit
- 4. The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value.



No.: CE/2014/64509


Date: 2014/07/01

Page: 3 of 4

SUPER SHENG ENTERPRISE CO., LTD.

NO. 6, LANE 151, MINSHENG ST., SANHSIA DIST., NEW TAIPEI CITY, TAIWAN 23741

- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr<sup>6+</sup> test method excluded)
- 2) Name of the person who made measurement: Climbareat Yang
- 3) Name of the person in charge of measurement: Troy Chang



Note\*\*: (1) For non-metallic material, add alkaline digestion reagent and heat to 90~95°C.

(2) For metallic material, add pure water and heat to boiling.



No.: CE/2014/64509

Date: 2014/07/01

Page: 4 of 4

SUPER SHENG ENTERPRISE CO., LTD.

NO. 6, LANE 151, MINSHENG ST., SANHSIA DIST., NEW TAIPEI CITY, TAIWAN 23741

\* The tested sample / part is marked by an arrow if it's shown on the photo. \*

CE/2014/64509



\*\* End of Report \*\*